EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S199	11	manual$3 near5 input near5 data near5 measuring near5 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/03 12:32
S200	8458	((input near5 data) near5 manual$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:36
S201	721	((input near5 data) adj manual$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:36
S202	81	((input near5 data) adj manual$3) and (measur$3 near5 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:36
S203	0	((input near5 data) adj manual$3) and (measur$3 near5 device) and (device near5 under near5 test)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:37

S204	0	((input near5 data) adj manual$3) and (measur$3 near5 device) and ((device near5 under near5 test) or dut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:37
S205	0	(((input near5 data) adj manual$3) and (measur$3 near5 device) and ((device near5 under near5 test) or dut))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:39
S206	12	(((input near5 data) adj manual$3) and (measur$3 near5 device) and (high near frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:41
S207	0	((input near5 data) adj manual$3) and (measur$3 near5 device) and (digital near receiv$3 near module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:47
S208	0	((input near5 data) adj manual$3) and (measur$3 near5 device) and (digital near receiv$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:47
S209	65	((input near5 data) adj manual$3) and (measur$3 near5 device) and (receiv$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:48

S210	31	((input near5 data) adj manual$3) and (measur$3 near5 device) and (receiv$3) and digital	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/04 11:48
S211	5	(((input near5 data) near5 manual$3) and (measur $3 near5 device) and ((device near5 under near5 test) or dut))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:04
S212	0	(((input near5 data) near5 (manual$3 near5 into near5 measur$3 near5 device)) and ((device near5 under near5 test) or dut))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:09
S213	0	(((manual$3 near5 into near5 measur$3 near5 device) and ((device near5 under near5 test) or dut))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:10
S214	0	(manual$3 near5 into near5 measur$3 near5 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:10
S215	1514	(manual$3 near5 measur$3 near5 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:10

S216	91	(manual$3 near5 data near5 measur$3 near5 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:10
S217	0	S216 and (high near5 frequency near5 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:11
S218	13	S216 and (high near5 frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:11
S219	3876	(455/67.11,67.3,67.13,456,63,431).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:38
S220	3	S219 and ((high near5 frequency) near5 (measur $3 near5 device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:39
S221	3	S219 and ((high near5 frequency) near5 (measur $5 near5 device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:39

S222	1705	((high near5 frequency) near5 (measur$5 near5 device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:40
S223	3	S222 and (manual$3 near5 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:41
S224	1322	S222 and (measuring near5 (unit or device or equipment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:45
S225	100	S224 and ((device near5 under near5 test) or DUT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:46
S226	1	S225 and (process$3 near5 input near5 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:47
S227	23	S225 and (process$3 near5 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 20:47

S228	6	"6065137"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:22
S229	7	"6215448"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:36
S230	16	S225 and (input near5 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:38
S231	106	S222 and ((input near5 key) or keypad or key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:50
S232	88	S231 and (process$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:50
S233	36	S232 and ((process$5) near5 digital)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:51

S234	52	S232 not S233	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 22:00
S235	41	"4312032" | "4602218" | "4631491" | "4994757" | "5101175" | "5109538" | "5118965" | "5119506" | "5128629" | "5152004" | "5182527" | "5196806" | "5204643" | "5214372" | "5230091" | "5239696" | "5241694" | "5276917" | "5291150" | "5392464" | "5404585" | "5412341" | "5423074" | "5426641" | "5432473" | "5434537" | "5493255" | "5497125" | "5530923" | "5548616" | "5564074" | "5613229" | "5652542" | "5652547" | "5675611" | "5697074" | "5905407").PN. OR ("6289205").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/15 22:12
S236	15231	((high-frequecy) or high adj5 frequency) and (measuring adj (unit or device or equipment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 22:56
S237	741	((high-frequecy) or high adj5 frequency) near5 (measuring adj (unit or device or equipment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 22:57
S238	741	(((high-frequecy) or high adj5 frequency) near5 (measuring adj (unit or device or equipment)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 22:58

S239	27	S238 and ((user near5 input) or (manual$3 near5 input))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 22:58
S240	27	S238 and ((user near5 input) or (manual$3 near5 input))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 22:59
S241	52	("4557271" | "4895163" | "4947862" | "4949727". PN. OR "5579782").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/15 23:01
S242	72	(((high-frequecy) or high adj5 frequency) adj (measuring adj (unit or device or equipment)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:10
S243	72	S242 not S241	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:10
S244	15	S243 and digital	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:11

S245	0	S243 not S242	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:12
S246	57	S243 not S244	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:12
S247	10	("3041535" | "3213391" | "3969680" | "4123711" | "4341994" | "4628256" | "4647845").PN. OR ("5083080").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/15 23:16
S248	72	(((high-frequecy) or high adj5 frequency) adj measuring adj (unit$1 or device$1 or equipment $1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:20
S249	1589	(((high-frequecy) or high adj5 frequency) adj measuring or measurement))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:20
S250	33	(((high-frequecy) or high adj5 frequency) adj measuring or measurement)) and (digital near5 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:21

S251	21	("3587044"	"3676583"	"4092596"	"4803638"	"4819196"	"5016269"	"5126686"	"5220678"	"5422760"	"5872810"	"5880837"	"5912920"	"5982833"	"6134214"	"6178215"	"6215816"	"6282045"	"6304615"	"6377076"	"6389069"	"6549604").PN. OR ("7269397").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/15 23:22
S252	180	(((high-frequecy) or high adj5 frequency) near5 (measuring or measurement)) and (digital near5 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:24
S253	76	(((high-frequecy) or high adj5 frequency) near (measuring or measurement)) and (digital near5 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:25
S254	43	S253 not S249	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 23:25
S255	120	((high-frequency) or (high adj5 frequency) near5 (measuring or measurement or comput$3 or test $3)) and (manual$3 near5 data near5 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 12:43
S256	1	S255 and ((device near under near5 test) or DUT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 12:44

S257	21	("4072930").PN. OR ("4366481").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 12:46
S258	1	S255 and ((device adj under near5 test) or DUT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 12:47
S259	2109	((high-frequency) or (high adj5 frequency) adj measuring or measurement or comput$3 or test $3) and receiv$3 adj6 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 12:58
S260	244	S259 and ((manual$3 near5 data near5 input) or (user near5 input))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 12:59
S261	4	S259 and (manual$3 near5 data near5 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:00
S262	216	S259 and ((manual$3 near5 data near5 input) or (user near5 input)) and (digital)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:02

S263	13	S259 and ((manual$3 near5 data near5 input) or (user near5 input)) and (digital adj6 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:03
S264	7	S259 and ((manual$3 near5 data near5 input) or (user near5 input)) near5 (digital)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:07
S265	1	S259 and ((manual$3 near5 data near5 input) or (user near5 input)) and (device adj under adj test)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:09
S266	55	(((high-frequency) or (high adj5 frequency)) adj (measuring or measurement or comput$3 or test $3)) and (receiv$3 adj6 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:21
S267	12	"6571187"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:33

S268	31	("4858160" | "5159262" | "5442296" | "5578932" | "5587934" | "5661404" | "5666059" | "5715183" | "5748506" | "5751153" | "5784299" | "5793213" | "5825669" | "6025709" | "6066953" | "6081125" | "6147501" | "6188968" | "6249128" | "6300775" | "6347382" | "6421624").PN. OR "6571187". URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 13:34
S269	10	"5970395"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 13:38
S270	16	("4977619" | "5359446" | "5880867" | "5913163" | "5969837" | "5970395" | "5999294" | "6055425"). PN. OR "6577419".URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 13:40
S271	15	("3614600" | "4609866" | "5300879" | "5499388" | "5543779" | "5649303").PN. OR "5970395". URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 13:44
S272	212	S262 not S266	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:51
S273	6720242	S262 not S266 and device under test	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:52
S274	1	S262 not S266 and (device adj under adj test)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 13:53
S275	19	("5410314" | "5471211").PN. OR ("5589833"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 16:04

S276	29	(((high-frequency) or (high adj5 frequency)) adj measuring or measurement) and (receiv$3 adj6 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:10
S277	1	S276 and ((manual$3 near5 data near5 input) or (user near5 input))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:11
S278	0	(((high-frequency) or (high adj5 frequency)) adj measuring or measurement) and (receiv$3 adj6 module) and (manual$3 near5 data near5 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:13
S279	5	(((high-frequency) or (high adj5 frequency)) adj measuring or measurement) and (receiv$3 adj6 module) and (data near5 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:13
S280	15383394	(((high-frequency) or (high adj5 frequency)) adj measuring or measurement) adj5 device or system or method	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:17
S281	259	(((high-frequency) or (high adj5 frequency)) adj measuring or measurement) adj5 (unit or device or system or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:17

S282	3	S281 and ((user adj input) or (manual$3 near5 input))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:18
S283	33	("4042925" | "4057800" | "4137532" | "4758838" | "4816833" | "4916452" | "5245347" | "5307070" | "5311189" | "5375143" | "5402131" | "5410750" | "5442359" | "5515300" | "5583512" | "5583517" | "5596330" | "5606324" | "5646623" | "5659520" | "5784026").PN. OR ("6078281").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 16:19
S284	2	akbar.xa.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 16:27
S285	0	(((high-frequency) or (high adj5 frequency)) adj (measuring and (receiv$3 adj6 module)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:48
S286	470	(((high-frequency) or (high adj5 frequency)) adj measuring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:49
S287	2	(((high-frequency) or (high adj5 frequency)) adj measuring) and ((manual adj input) or (user near6 input))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:50

| S288 | 2 | (((high-frequency) or (high adj5 frequency)) adj measuring) and ((manual near5 input) or (user near6 input)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/03/16 16:50 |

3/16/2008 8:32:30 PM
C:\Documents and Settings\makbar\My Documents\EAST\Workspaces\563030.wsp